

Safety Data Sheet according to (EC) No 1907/2006

Page 1 of 10

SDS No.: 100554 V004.0

Revision: 28.04.2016

printing date: 27.03.2018 Replaces version from: 09.07.2014

AQUENCE WL 041 known as DORUS MD 041

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

AQUENCE WL 041 known as DORUS MD 041

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Wood adhesives

1.3. Details of the supplier of the safety data sheet

Henkel AG & Co. KGaA

Henkelstr. 67

40589 Düsseldorf

Germany

Phone: +49 211 797 0 Fax-no.: +49 211 798 2009

ua-productsafety.de@henkel.com

1.4. Emergency telephone number

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

2.2. Label elements

Label elements (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

Supplemental information EUH210 Safety data sheet available on request.

Contains 1,2-Benzisothiazol-3(2H)-one; Isothiazolinone mixture 3:1 (CIT/MIT). May

produce an allergic reaction.

2.3. Other hazards

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria. None if used properly.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General chemical description:

Adhesive

Base substances of preparation:

Polyvinyl acetate dispersion

Declaration of the ingredients according to CLP (EC) No 1272/2008:

Hazardous components	EC Number	content	Classification
CAS-No.	REACH-Reg No.		
1,2-Benzisothiazol-3(2H)-one	220-120-9	50- < 500 PPM	Aquatic Acute 1
2634-33-5			H400
			Aquatic Chronic 2
			H411
			Acute Tox. 4; Oral
			H302
			Skin Irrit. 2
			H315
			Skin Sens. 1
			H317
			Eye Dam. 1
			H318
Isothiazolinone mixture 3:1 (CIT/MIT)		1,5- < 15 PPM	Acute Tox. 3; Inhalation
55965-84-9			H331
			Acute Tox. 3; Dermal
			H311
			Acute Tox. 3; Oral
			H301
			Skin Corr. 1B
			H314
			Skin Sens. 1
			H317
			Aquatic Acute 1
			H400
			Aquatic Chronic 1
			H410
			M factor (Acute Aquat Tox): 10

For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Move to fresh air, consult doctor if complaint persists.

Skin contact:

Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing. If necessary, see a dermatologist.

Eye contact:

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

Ingestion:

Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

An allergic reaction cannot be excluded after repeated skin contact.

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

All common extinguishing agents are suitable.

Extinguishing media which must not be used for safety reasons:

High pressure waterjet

5.2. Special hazards arising from the substance or mixture

In case of fire toxic gases can be released.

5.3. Advice for firefighters

Wear protective equipment.

Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment.

Danger of slipping on spilled product.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Remove with liquid-absorbing material (sand, peat, sawdust).

Dispose of contaminated material as waste according to Section 13.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Hygiene measures:

Do not eat, drink or smoke while working.

Wash hands before work breaks and after finishing work.

7.2. Conditions for safe storage, including any incompatibilities

Frost-sensitive

Ensure good ventilation/extraction.

Store frost-free.

7.3. Specific end use(s)

Wood adhesives

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

Valid for

Germany

None

Biological Exposure Indices:

None

8.2. Exposure controls:

Engineering controls:

Ensure good ventilation/extraction.

Respiratory protection:

In case of aerosol formation, we recommend wearing of appropriate respiratory protection equipment with ABEK P2 filter (EN 14387).

This recommendation should be matched to local conditions.

Hand protection:

Chemical-resistant protective gloves (EN 374). Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374): Polychloroprene (CR; >= 1 mm thickness) or natural rubber (NR; >= 1 mm thickness) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Polychloroprene (CR; >= 1 mm thickness) or natural rubber (NR; >= 1 mm thickness) This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection:

Protective goggles

Protective eye equipment should conform to EN166.

Skin protection:

Wear protective equipment.

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

Advices to personal protection equipment:

Use only personal protection that's CE-labelled according to Directive 89/686/EEC (Europe) or to Regulation No. 819 of 19 August 1994 (Norway).

The information provided on personal protective equipment is for guidance purposes only. A full risk assessment should be conducted prior to using this product to determine the appropriate personal protective equipment to suit local conditions. Personal protective equipment should conform to the relevant EN standard.

SECTION 9: Physical and chemical properties

No flash point up to 100°C. Aqueous preparation.

9.1. Information on basic physical and chemical properties

Appearance dispersion liquid

white

Odor specific

Odour threshold No data available / Not applicable

pH 4,5 - 6

 $(20~^{\circ}\text{C }(68~^{\circ}\text{F}))$ Initial boiling point $100~^{\circ}\text{C }(212~^{\circ}\text{F})$

(1.013 hPa)

Decomposition temperature

No data available / Not applicable

Vapour pressure

No data available / Not applicable

Density 1,1 g/cm³

(20 °C (68 °F))

Flash point

Bulk density No data available / Not applicable

Viscosity 11.000 - 17.000 mPa.s

(Brookfield; Instrument: RVT; 20 °C (68 °F); speed of rotation: 20 min-1; Spindle No: 5;

Conc.: 100 % product)

Viscosity (kinematic) No data available / Not applicable Explosive properties No data available / Not applicable

MSDS-No.: 100554

V004.0

Solubility (qualitative) fully miscible

(20 °C (68 °F); Solvent: Water)

Solidification temperature No data available / Not applicable Melting point No data available / Not applicable Flammability No data available / Not applicable Auto-ignition temperature No data available / Not applicable Explosive limits The product is not explosive. No data available / Not applicable Partition coefficient: n-octanol/water No data available / Not applicable Evaporation rate No data available / Not applicable Vapor density

Solid content 60 %

Oxidising properties No data available / Not applicable

9.2. Other information

No data available / Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

None if used for intended purpose.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

None if used for intended purpose.

10.5. Incompatible materials

None if used properly.

10.6. Hazardous decomposition products

At higher temperatures acetic acid may be released.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

General toxicological information:

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation (EC) No 1272/2008. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

Sensitizing:

An allergic reaction cannot be excluded after repeated skin contact. \\

Acute oral toxicity:

Hazardous components CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
1,2-Benzisothiazol-3(2H)-	Acute	670 mg/kg	oral			Expert judgement
one	toxicity					
2634-33-5	estimate					
	(ATE)					
1,2-Benzisothiazol-3(2H)-	LD50	670 - 784			rat	EPA Guideline
one		mg/kg				
2634-33-5						
Isothiazolinone mixture 3:1 (CIT/MIT) 55965-84-9	LD50	53 mg/kg	oral		rat	

Acute dermal toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
1,2-Benzisothiazol-3(2H)-	LD50	> 5.000 mg/kg	dermal		rat	EPA OPP 81-2 (Acute Dermal
one						Toxicity)
2634-33-5						
Isothiazolinone mixture	LD50	660 mg/kg	dermal		rabbit	Not specified
3:1 (CIT/MIT)						_
55965-84-9						

Skin corrosion/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		
1,2-Benzisothiazol-3(2H)-	moderately irritating	4 h	rabbit	EPA OPP 81-5 (Acute Dermal
one				Irritation)
2634-33-5				
Isothiazolinone mixture	corrosive			
3:1 (CIT/MIT)				
55965-84-9				

Serious eye damage/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		
1,2-Benzisothiazol-3(2H)-	highly irritating	48 h	rabbit	EPA OPP 81-4 (Acute Eye
one				Irritation)
2634-33-5				
1,2-Benzisothiazol-3(2H)-	highly irritating		rabbit	Draize Test
one				
2634-33-5				

Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
1,2-Benzisothiazol-3(2H)-	sensitising	Guinea pig	guinea pig	Magnusson and Kligman
one		maximisat		Method
2634-33-5		ion test		
Isothiazolinone mixture	Sensitizing		guinea pig	
3:1 (CIT/MIT)				
55965-84-9				

Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
1,2-Benzisothiazol-3(2H)- one 2634-33-5	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
	negative	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
1,2-Benzisothiazol-3(2H)- one 2634-33-5	negative			mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
	negative	oral: unspecified		rat	OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo)
	negative	oral: gavage		mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Repeated dose toxicity

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
1,2-Benzisothiazol-3(2H)-	NOAEL=10 mg/kg	oral: gavage	90 daysdaily	rat	OECD Guideline 408
one					(Repeated Dose 90-Day Oral
2634-33-5					Toxicity in Rodents)

SECTION 12: Ecological information

General ecological information:

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation (EC) No 1272/2008. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following. Do not empty into drains / surface water / ground water.

12.1. Toxicity

Hazardous components	Value	Value	Acute	Exposure	Species	Method
CAS-No.	type		Toxicity Study	time		
1,2-Benzisothiazol-3(2H)-one	LC50	1,4 mg/l	Fish	96 h	Salmo gairdneri (new name:	OECD Guideline
2634-33-5		-, ·8			Oncorhynchus mykiss)	203 (Fish, Acute
						Toxicity Test)
	NOEC	0,21 mg/l	Fish	30 d	Oncorhynchus mykiss	OECD Guideline
		·,= <i>8</i> -				215 (Fish, Juvenile
						Growth Test)
1,2-Benzisothiazol-3(2H)-one	EC50	1,05 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline
2634-33-5		, 8	1			202 (Daphnia sp.
						Acute
						Immobilisation
						Test)
1,2-Benzisothiazol-3(2H)-one	EC50	0.11 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline
2634-33-5			C		1	201 (Alga, Growth
						Inhibition Test)
	EC10	0,04 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	
			C		1	201 (Alga, Growth
						Inhibition Test)
1,2-Benzisothiazol-3(2H)-one	EC 50	23 mg/l	Bacteria	3 h	activated sludge of a	OECD Guideline
2634-33-5		· ·			predominantly domestic sewage	209 (Activated
						Sludge, Respiration
						Inhibition Test)
1,2-Benzisothiazol-3(2H)-one	NOEC	1,2 mg/l	chronic	21 d	Daphnia magna	OECD 211
2634-33-5			Daphnia			(Daphnia magna,
	J					Reproduction Test)
Isothiazolinone mixture 3:1	LC50	0,22 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline
(CIT/MIT)						203 (Fish, Acute
55965-84-9						Toxicity Test)
	NOEC	0,098 mg/l	Fish	28 d	Oncorhynchus mykiss	OECD 210
						Guideline (fish
						early lite stage
						toxicity test)
Isothiazolinone mixture 3:1	EC50	0,048 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline
(CIT/MIT)						201 (Alga, Growth
55965-84-9						Inhibition Test)
	NOEC	0,0012 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	OECD Guideline
						201 (Alga, Growth
	TG10	0.50				Inhibition Test)
Isothiazolinone mixture 3:1	EC10	0,59 mg/l	Bacteria	16 h		
(CIT/MIT)						
55965-84-9	NOEC	0.0026 //	-1:	21.4	Dankaia ara ara	OECD 211
Isothiazolinone mixture 3:1 (CIT/MIT)	NOEC	0,0036 mg/l	chronic	21 d	Daphnia magna	OECD 211 (Daphnia magna,
55965-84-9			Daphnia			Reproduction Test)
33703-04-7	ı l		1	1	I	[Keproduction Test)]

12.2. Persistence and degradability

Hazardous components	Result	Route of	Degradability	Method
CAS-No.		application		

1,2-Benzisothiazol-3(2H)-one	Rapidly degradable	Not specified	> 70 %	OECD Guideline 309 (Aerobic
2634-33-5				Mineralisation in Surface
				WaterSimulation Biodegradation
				Test)
Isothiazolinone mixture 3:1		aerobic	97 %	OECD Guideline 302 B (Inherent
(CIT/MIT)				biodegradability: Zahn-
55965-84-9				Wellens/EMPA Test)
	readily biodegradable		> 60 %	OECD Guideline 301 D (Ready
				Biodegradability: Closed Bottle
				Test)

12.3. Bioaccumulative potential / 12.4. Mobility in soil

Hazardous components	LogKow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.		factor (BCF)	time			
1,2-Benzisothiazol-3(2H)-one		6,62		Not specified		OECD Guideline 305
2634-33-5				-		(Bioconcentration: Flow-
						through Fish Test)
1,2-Benzisothiazol-3(2H)-one	< 3					EU Method A.8 (Partition
2634-33-5						Coefficient)
Isothiazolinone mixture 3:1		3,6		calculation		
(CIT/MIT)						
55965-84-9						
Isothiazolinone mixture 3:1	-0,71 -				20 °C	OECD Guideline 117
(CIT/MIT)	0,75					(Partition Coefficient (n-
55965-84-9						octanol / water), HPLC
						Method)

12.5. Results of PBT and vPvB assessment

Hazardous components	PBT/vPvB
CAS-No.	
1,2-Benzisothiazol-3(2H)-one	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
2634-33-5	Bioaccumulative (vPvB) criteria.
Isothiazolinone mixture 3:1 (CIT/MIT)	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
55965-84-9	Bioaccumulative (vPvB) criteria.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

In consultation with the responsible local authority, must be subjected to special treatment.

Waste code

The valid EWC waste code numbers are source-related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users. We will be happy to advise you.

08 04 09 Waste adhesives and sealants containing organic solvents or other dangerous substances

SECTION 14: Transport information

14.1. UN number

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

14.2. UN proper shipping name

Not dangerous goods
Not dangerous goods

14.3. Transport hazard class(es)

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

14.4. Packing group

ADR	Not dangerous goods
RID	Not dangerous goods
ADN	Not dangerous goods
IMDG	Not dangerous goods
IATA	Not dangerous goods

14.5. Environmental hazards

ADR	not applicable
ADK	not applicable
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

14.6. Special precautions for user

ADR	not applicable
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC content (VOCV 814.018 VOC regulation CH)

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

National regulations/information (Germany):

WGK: 1, slightly water-endangering product. (German VwVwS of July 27, 2005)

Classification in conformity with the calculation method

Storage class according to TRGS 510: 10

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.